

This schedule is recommended as a general guideline for product usage.  
Take local biotic and abiotic conditions into account when using this schedule.



	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
 <b>PPP COCO</b>	0,6 - 0,7 gr	0,7 - 0,8 gr	0,8 - 0,9 gr	0,9 - 1 gr	1 - 1,1 gr
 <b>ROOT STIMULATOR</b>	0,5 - 1 ml/L	---	---	---	---
 <b>COCO BOOSTER UNI</b>	---	0,1 - 0,5 ml/L	0,1 - 0,5 ml/L	---	---
 <b>COCO BLOOM STIMULATOR</b>	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
 <b>BLOSSOM BUILDER LIQUID</b>	---	---	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L
 <b>SILIC BOOST</b>	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L
 <b>ATA ATAZYME</b>	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L